

CAN Keypad CK-M12



- ▶ 12 standard buttons with color indicator rings
- ▶ 9 additional digital switch inputs
- ▶ Moveable button inserts
- ▶ CAN input / output

The CAN Keypad CK-M12 allows for simplification of the dashboard by offering 12 buttons and 9 additional wired inputs to be evaluated and transmitted via CAN bus to other devices on the bus. Each button has an individually addressable LED indicating ring that can be used to acknowledge a button press event, indicate status of a device, or alert the driver to a fault condition. No special configuration software is needed, all feedback logic is done by PBX, DDU or ECU. Each keypad is supplied with 15 black inserts, optional insert kits are also available.

Application

Usage	PBX / DDU / ECU Interface
Temperature range	-40 to 85°C

Technical Specifications

Mechanical Data

Size	78 x 187 x 21 mm
Weight	280 g
Max. vibration	11 ms 30 G peak
Protection Classification	IP68

Electrical Data

Power supply Vs	9 to 32 V
Average current draw	100 mA
Max current draw	250 mA

Characteristics

Signal output	CAN
CAN transmit rate	100 Hz*
CAN baud rate	1 Mbaud*

TX ID	0x800*
RX ID	0x801*
TX Data	1 bit status for each input
RX Data	4 bit integer for each indicator color, 4 bit integer for brightness

* Custom CAN IDs / baud Rate Optional Upon Request

Note: CK-M12 DBC file available for CAN configuration

Connectors and Wires

CK-M12 Termination	Flying Lead 24AWG
--------------------	-------------------

Recommended Connectors

CK-M12	AS610-35PN
Mating	AS110-35SN

Wire Identification

Wire	Function
Red	12/24 V Power
Black	Ground
Yellow	CAN high (CANH)
Green	CAN low (CANL)
White, Black Trace	Digital Input 1 activated by Ground
White, Brown Trace	Digital Input 2 activated by Ground
White, Red Trace	Digital Input 3 activated by Ground
White, Orange Trace	Digital Input 4 activated by Ground
White, Yellow Trace	Digital Input 5 activated by Ground

Wire	Function
White, Green Trace	Digital Input 6 activated by Ground
White, Blue Trace	Digital Input 7 activated by Ground
White, Purple Trace	Digital Input 8 activated by Ground
White, Grey Trace	Digital Input 9 activated by Ground

Insert Kits

Insert Road Race Kit	
	A/C
	ABS
	Alarm Reset
	Anti-Lag
	Arrow x 4
	Brake Spray
	Boost Decrease
	Boost Increase
	Brightness Down
	Brightness Up
	Close Menu
	Cool Suit
	Cooling Fan
	Day/Night Mode
	Drink
	Flash Hi Beam
	Fuel Reserve
	Fuel Reset
	Full Course Yellow
	Function Toggle
	Gearbox Emergency
	Hazard Flasher
	Heated Windshield
	Helmet Fan
	High Beam
	Horn
	Launch
	Low Beam
	Map Down
	Map Up
	Neutral
	Open Menu
	Page Down
	Page Up
	PDU Reset

Insert Road Race Kit	
	Pit Switch
	Power
	Power Steering Reset
	Pump Out
	Push to Pass
	Radiator Spray
	Rain Light
	Reset
	Reverse
	Select
	Starter
	Traction Control Down
	Traction Control Up
	Wet Mode
	Windshield Spray
	Windshield Wiper
Insert Drag Race Kit	
	A/C
	Alarm Reset
	Anti-Lag
	Arrow x 4
	Boost Decrease
	Boost Increase
	Brightness Down
	Brightness Up
	Burnout
	Close Menu
	Cooling Fan
	Day/Night Mode
	Function Toggle
	Hazard Flasher
	High Beam
	Horn
	Launch
	Line Lock
	Low Beam
	Map Down
	Map Up
	Nitrous Arm
	Nitrous Purge
	Open Menu
	Page Down

Insert Road Race Kit	
	Page Up
	PDU Reset
	Power
	Pump Out
	Push to Pass
	Reset
	Select
	Starter
	Traction Control Down
	Traction Control Up
	Transmission Brake
	Windshield Spray
	Windshield Wiper
Insert Alpha/Numeric Kit	
A	V
B	W
C	X
D	Y
E	Z
F	!
G	-
H	+
I	0
J	1
K	2
L	3
M	4

Insert Road Race Kit	
N	5
O	6
P	7
Q	8
R	9
S	10
T	11
U	12

Installation Notes

Installation on flat surface recommended

Bolt size #10-32

Tightening Torque 0.7 +/- 0.1 Nm

Legal Restrictions

The sale of this product in Mexico is prohibited. Due to embargo restrictions, sale of this product in Russia, Belarus, Iran, Syria, and North Korea is prohibited.

Ordering Information

CAN Keypad CK-M12

Order number **F02U.V0U.328-04**

Accessories

Insert Road Race Kit

Order number **F02U.B0U.022-01**


Insert Drag Race Kit

Order number **F02U.B0U.023-01**

Insert Alpha/Numeric Kit

Order number **F02U.B0U.024-01**

Dimensions



Represented by:

Europe:
 Bosch Engineering GmbH
 Motorsport
 Robert-Bosch-Allee 1
 74232 Abstatt
 Germany
 Tel.: +49 7062 911 9101
 Fax: +49 7062 911 79104
 motorsport@bosch.com
 www.bosch-motorsport.de

North America:
 Bosch Engineering North America
 Motorsport
 38000 Hills Tech Drive
 Farmington Hills, MI 48331-3417
 United States of America
 Tel.: +1 248 876 2977
 Fax: +1 248 876 7373
 motorsport@bosch.com
 www.bosch-motorsport.com

Asia-Pacific:
 Bosch Engineering Japan K.K.
 Motorsport
 18F Queen's Tower C, 2-3-5 Minato
 Mirai Nishi-ku, Yokohama-shi
 Kanagawa 220-6218
 Japan
 Tel.: +81 45 650 5610
 Fax: +81 45 650 5611
 www.bosch-motorsport.jp

Australia, New Zealand and South Africa:
 Robert Bosch Pty. Ltd
 Motorsport
 1555 Centre Road
 Clayton, Victoria, 3168
 Australia
 Tel.: +61 (3) 9541 3901
 motor.sport@au.bosch.com