



MSA-BOX Driver Setup and Firmware

Upgrade on Windows 10

Inhaltsverzeichnis

1 MSA-Box Driver Update	3
1.1 Download	3
1.2 Install Driver	3
2 MSA-Box Bootloader Update	5

1 MSA-Box Driver Update


1.1 Download

You can download the latest version of the MSA-Box driver from the Bosch Motorsport website (www.bosch-motorsport.com).


1.2 Install Driver

Requirements	Windows 10
Attention	The MSA-Box must not be connected to the computer during the setup.

1. Open the MSA-BOX setup file.
2. Click „Next“.



3. Click „Install“.



4. Please click „Finish“ to exit the setup.

MSA-Box


Completing the Bosch Motorsport - MSA Box 2 Setup Wizard

Setup has finished installing Bosch Motorsport - MSA Box 2 on your computer. The application may be launched by selecting the installed icons.

Click Finish to exit Setup.



5. Plug the MSA-Box into one of your computers USB ports. Windows will recognize the MSA-Box and load the appropriate driver.




2 MSA-Box Bootloader Update


After an update of an older driver version to V2.03 or above, you will have to upgrade the bootloader on your MSA-Box.

Requirements	Windows 10
Attention	After this upgrade your MSA-Box will no longer be compatible to versions of the MSA-Box driver below V2.03. If you have accidentally performed a bootloader upgrade on your MSA-Box, please contact the Bosch Motorsport tool support to downgrade your MSA-Box (toolsupport.motorsport@bosch.com).

1. Plug the MSA-Box into one of your computers USB ports. Windows will recognize the MSA-Box and load the appropriate driver.



2. Start RaceCon or ModasSport. The „MSA-Box-Bootloader Update Tool“ will automatically open if a bootloader upgrade is necessary.




3. Click „Launch Bootloader Tool“ to begin the upgrade process.




4. Click „Start“.




5. This dialog contains the following information
- (1) MSA-Box serial number
 - (2) MSA-Box firmware version
 - (3) Firmware update schedule



6. Click „Flash“ to start the bootloader upgrade of the MSA-Box.




7. The firmware upgrade was finished successfully. The dialog displays the firmware version of the MSA-Box.

Ready 

MSA-Box

The MSA Box was flashed successfully.
Current firmware of the MSA Box is listed in the table below.




www.bosch-motorsport.com

MSA Box : 000015
B: 02.09
I: 01.09


 **BOSCH** Please pull out and re-plug the MSA Box device from USB Port.

8. Click „Quit“ to exit the bootloader upgrade wizard.

Ready 


MSA-Box

The MSA Box was flashed successfully.
Current firmware of the MSA Box is listed in the table below.



www.bosch-motorsport.com

MSA Box : 000015
B: 02.09
I: 01.09

 **BOSCH** Please pull out and re-plug the MSA Box device from USB Port.



NOTICE

After the upgrade, you must reconnect the MSA-Box to the computer before using it for the first time.

Bosch Engineering GmbH

Motorsport
Robert-Bosch-Allee 1
74232 Abstatt

www.bosch-motorsport.com