


# Vibration Profile 1

## Broadband noise: 8h/direction


Frequency (Hz)	Acceleration density (m/s <sup>2</sup> ) <sup>2</sup> /Hz
20	50.4
55	26.0
180	1.0
300	1.0
360	0.56
1,000	0.6
2,000	0.6
Effective value a <sub>Eff</sub>	55.4 m/s <sup>2</sup>



## Sine: 8h/direction

Alteration rate of frequency: 2.4 oct./min

Frequency (Hz)	Acceleration peak (m/s <sup>2</sup> )
100	50
180	200
250	200
350	60
2,000	60



**Represented by:**

**Europe:**  
 Bosch Engineering GmbH  
 Motorsport  
 Robert-Bosch-Allee 1  
 74232 Abstatt  
 Germany  
 motorsport@bosch.com  
 www.bosch-motorsport.de

**North America:**  
 Bosch Engineering North America  
 Motorsport  
 38000 Hills Tech Drive  
 Farmington Hills, MI 48331-3417  
 United States of America  
 motorsport@bosch.com  
 www.bosch-motorsport.com

**Asia-Pacific:**  
 Bosch Engineering Japan K.K.  
 Motorsports Department  
 1-9-32 Nakagawachuo, Tsuzuki-ku  
 Yokohama-shi  
 Kanagawa, 224-8601  
 Japan  
 motorsport@jp.bosch.com  
 www.bosch-motorsport.jp

**Australia, New Zealand and South Africa:**  
 Robert Bosch Pty. Ltd  
 Motorsport  
 1555 Centre Road  
 Clayton, Victoria, 3168  
 Australia  
 motor.sport@au.bosch.com  
 www.bosch-motorsport.com.au